



## AMENDMENTS

RECEIVED  
SEP 05 2003  
TC 1700

5/B  
9/10/03  
P. J. Chase

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims that begins on page 3 of this paper.

Remarks/Arguments begin on page 9 of this paper.

### AMENDMENTS TO THE SPECIFICATION

In the Specifications:

Please replace the TABLE II beginning on page 6, line 1, with the following rewritten TABLE

II:

TABLE II

Composition of Glass (mol %)			Dopants (wt %)		Refractive	Density	Quantum
Ba(PO <sub>3</sub> ) <sub>2</sub>	Al(PO <sub>3</sub> ) <sub>3</sub>	BaF <sub>2</sub> + RFX	Nd <sub>2</sub> O <sub>3</sub>	Er <sub>2</sub> O <sub>3</sub>	Index (nD)	(g/cm <sup>3</sup> )	Yield (%)
40	48	10 12	2		1.6345	3.35	45
35	13	50 52	2		1.6385	3.38	60
28	10	60 62	2		1.6401	3.40	65
10	18	70 72	10		1.6412	3.45	70
40	48	10 12		2	1.6344	3.35	50
35	13	50 52		2	1.6386	3.36	63
28	10	60 62		2	1.6403	3.41	66
10	18	70 72		20	1.6410	3.43	75
5	5	90		5			